



The Range

PROFESSIONAL SPECIALIZED

When I was a child...

i was so excited every time I saw a tractor. My grandfather owned an Antonio Carraro and watching it, I dreamed of having one, too. When I was only a child I daydreamed about the future of my life: the only certainty was that i would not have had a boring existence.

I imagined an interesting job, my own family. A nice home, a car. Maybe a motorcycle and a tractor. One day I opened my heart and bought an Antonio Carraro. I owed it to myself...and to my grandfather.



Light



ERGIT

TAILOR-MADE FOR YOU

In the world there are lands
which have to be ploughed,
cities to clean, snow which
has to be removed, fields to mow, fruits to pick,
boundless panorama to cultivate.

.....



The question is:

WHAT DO YOU WANT TO DO WITH YOUR TRACTOR?

*Because apart from the models
proposed in this catalogue, you
will decide the setting of your
Antonio Carraro, creating the
most suitable tractor for you!*



DESIGN TECNOLOGY INNOVATION

.....





AC CONCEPT



THE MAGICAL PLUS POINTS OF AC TRACTORS

Around the world there is land to till, vineyards to cultivate, fruit to collect, cities to clean up, snow to clear, lawns to be mown, kitchen gardens to be cared for: for all of this and much more Antonio Carraro wants to provide a concrete answer. So that each operator may be able to configure his tractor as he so pleases: a “made to measure” tractor.





ACTIO™ Full chassis with oscillation

AC full chassis with oscillation: influences the settings, centre of gravity, traction and grip of each tractor. It is made up of a cast iron structure, integral with the axels that houses the tractor's transmission, with longitudinal oscillation of up to 15°. ACTIO™ and an overhanging engine guarantee perfect weight distribution of the tractor mass + equipment favouring stability, safety and grip.



RGS™ Rev-Guide System

RGS™ Rev-Guide System, is the AC reversible driving system on a rotating turret which inverts the driving direction in just a few seconds in order to work efficiently with towed or frontal equipment. Simply turn the seat/steering wheel/dash/pedal assembly 180° for an identical, but reverse, driving direction.



STEERING / ARTICULATED

Each model comes in the version with steering ACTIO™, as well as with the ACTIO™ articulated chassis that provides the tractor with excellent handling.




**HYDRO
STATIC
TRANSMISSION**



**MECHANICAL
TRANSMISSION**



HYDROSTATIC / MECHANIC

The transmission can be hydrostatic (with infinite speed ranges selected under load) or mechanical (with 8+4 speed gearboxes for the basic model, up to 32+32 speeds for the top of the range models).



TOTAL PROTECTION CAB

Each model, starting from 38 HP, can be fitted with a protection cab as an optional extra with central heating, air conditioning and pressurisation.



WIDE / NARROW

Each model can be fitted with a track in accordance with the needs of the customer, who can choose the type of flange on the wheels and the type of tyres, providing the tractor with different widths.



TALL / SHORT

Each operator can choose the most appropriate tractor for themselves in terms of bulkiness and ground clearance.




HP
25



HP
100

POWER HP MIN/MAX


The AC range is made up of tractors from 25 to 100 HP.



KM/H
40

SAFETY active and passive

Low center of gravity, constant contact, stability, efficient braking and protected driving position are just some of the “active” safety features not to mention the “passive” features, such as quality of components, design, and eco-friendly engines.



FLOATING, minimum compaction

The ACTIO™ chassis, which establishes perfect weight distribution on all four wheels, ensures minimum ground compaction: the tractor's specific weight at work is less than 0.5 kg/cm², inferior to a man's foot. This allows the tractor to be used on soft ground without causing any damage to the soil.



SUMMER/WINTER, 365 days a year

Each AC tractor has extraordinary versatility of use given the possibility of it being fitted with numerous pieces of equipment (frontal, trailing and top fitting) enabling it to be used in all seasons.



PROFESSIONAL SPECIALIZED

THE
ERGIT S
SERIES

TGF



MODEL TGF 7800 S

CHASSIS ACTIO™ – Full chassis with oscillation • Steering wheels
• 4 unequal wheel drive



ENGINE YANMAR - 4 Cylinders
16 Valves - 3319 CC
52 kW / 71 HP

PTO Independent and synchronised at 540/540E rpm

BRAKES Hydraulic front and rear disk brakes in oil bath, rear steering brakes

WEIGHT (Kg) 2130 with roll bar
2240 with Protector
2320 with StarLight

DIMENSIONS With tyres
8.25-16 Front
280/85 R20 Rear



TRANSMISSION
16+16
SYNCH. INVERTER

KM/H
40

KG **2300**



OPT
CAB
StarLight

OPT
CAB
Protector

THE **ERGIT S** TX-TRX SERIES



MODEL **TX 7800 S**

TRX 7800 S


CHASSIS	ACTIO™ – Full chassis with oscillation • Steering wheels • 4 wheel drive Single-direction	Rev-Guide System RGS™
ENGINE	YANMAR - 4 Cylinders 16 Valves - 3319 CC 52 kW / 71 HP	YANMAR - 4 Cylinders 16 Valves - 3319 CC 52 kW / 71 HP
PTO	Independent and synchronised at 540/540E rpm	
BRAKES	Hydraulic front and rear disk brakes in oil bath, rear steering brakes	
WEIGHT (kg)	2070 with roll bar 2120 with EasyStar 2210 with StarLight	2080 with roll bar 2130 with EasyStar 2220 with StarLight

DIMENSIONS	With tyres 2.50/80-18		
			* Min. ext. width



TRANSMISSION
16+16
SYNCH. INVERTER

KM/H
40



NO Mod. TX



THE
ERGIT S
SERIES

SX



MODEL **SX 7800 S**

SX 9400 S

CHASSIS ACTIO™ – Full chassis with oscillation • Articulated • 4 equal wheel drive

ENGINE YANMAR - 4 Cylinders

VM - 4 Cylinders

16 Valves - 3319 CC

TURBO Intercooler - 2970 CC

52 kW / 71 HP

64 kW / 87 HP

PTO Independent and synchronised at 540/540E rpm

BRAKES Hydraulic front and rear disk brakes in oil bath



WEIGHT (Kg) 2165 with roll bar

2135 with roll bar

2225 with StarLight

2225 with StarLight

DIMENSIONS With tyres 9.5 R20



THE
ERGIT100
SERIES

TGF



MODEL **TGF 9900**

TGF 10900

CHASSIS ACTIO™ – Full chassis with oscillation • Steering wheels
• 4 unequal wheel drive




ENGINE KUBOTA - 4 Cylinders 16 Valves - TURBO - 3769 CC 65 kW / 89 HP	KUBOTA - 4 Cylinders 16 Valves - TURBO - 3769 CC 73 kW / 99 HP
--	--

PTO Independent and synchronised at 540/540E rpm

BRAKES Hydraulic front and rear disk brakes in oil bath, rear steering brakes

WEIGHT (kg)	2230 with roll bar 2240 with Protector 2320 with StarLight	2230 with roll bar 2240 with Protector 2320 with StarLight
--------------------	--	--

DIMENSIONS



THE ERGIT100 SERIES TRX



MODEL **TRX 9900**

TRX 10900

CHASSIS ACTIO™ – Full chassis with oscillation • Reversibility RGS™
• Steering wheels • 4 equal wheel drive



ENGINE	KUBOTA - 4 Cylinders 16 Valves - TURBO - 3769 CC 65 kW / 89 HP	KUBOTA - 4 Cylinders 16 Valves - TURBO - 3769 CC 73 kW / 99 HP
---------------	--	--

PTO Independent and synchronised at 540/540E rpm

BRAKES Hydraulic front and rear disk brakes in oil bath, rear steering brakes

WEIGHT (Kg)	2170 with roll bar 2235 with EasyStar 2325 with StarLight	2170 with roll bar 2235 with EasyStar 2325 with StarLight
--------------------	---	---

DIMENSIONS With tyres
2.50/80-18



TRANSMISSION
16+16
SYNCH. INVERTER

KM/H
40

KG **2400**



THE ERGIT100 SERIES TRG



MODEL **TRG 9900**

TRG 10900

CHASSIS ACTIO™ – Full chassis with oscillation • Reversibility RGS™
• Steering wheels • 4 unequal wheel drive



ENGINE	KUBOTA - 4 Cylinders 16 Valves - TURBO - 3769 CC 65 kW / 89 HP	KUBOTA - 4 Cylinders 16 Valves - TURBO - 3769 CC 73 kW / 99 HP
---------------	--	--

PTO Independent and synchronised at 540/540E rpm

BRAKES Hydraulic front and rear disk brakes in oil bath, rear steering brakes

WEIGHT (Kg)	2280 with roll bar 2350 with StarLight	2280 with roll bar 2350 with StarLight
--------------------	---	---

DIMENSIONS With tyres 280/85 R20 Front - 320/85 R24 Rear



TRANSMISSION
16+16
SYNCH. INVERTER

KM/H
40

KG **2400**



THE ERGIT100 SERIES TTR

MODEL **TTR 7800**

TTR 10900

CHASSIS ACTIO™ – Full chassis with oscillation • Reversibility RGS™
• Steering wheels • 4 equal wheel drive

ENGINE YANMAR - 4 Cylinders 16 Valves - 3319 CC 52 kW / 71 HP	KUBOTA - 4 Cylinders 16 Valves - TURBO - 3769 CC 73 kW / 99 HP
--	--




PTO Independent and synchronised at 540/540E rpm

BRAKES Hydraulic front and rear disk brakes in oil bath, rear steering brakes

WEIGHT (Kg)	2150 with frame	2150 with frame
	2280 with ExtraComfort	2280 with ExtraComfort

DIMENSIONS With tyres 31x15.50-15 Terra

ExtraComfort



TRANSMISSION
16+16
SYNCH. INVERTER

KM/H
40

KG **2400**



OPT
EXTRA COMFORT CAB



THE
ERGIT100
SERIES

SRX

MODEL **SRX 8400** **SRX 9800** **SRX 10400**

CHASSIS ACTIO™ – Full chassis with oscillation • Reversibility RGS™
• Articulated • 4 equal wheel drive


ENGINE	VM - 3 Cyl. TURBO Intercooler - 2228 CC 51.5 kW / 70 HP	YANMAR - 4 Cyl. TURBO 16 Valves - 3319 CC 64 kW / 87 HP	VM - 4 Cyl. TURBO Intercooler - 2970 CC 70 kW / 95 HP
--------	---	---	---

PTO Independent and synchronised at 540/540E rpm

BRAKES Hydraulic front and rear disk brakes in oil bath

WEIGHT (Kg)	2035 with roll bar 2175 with StarLight	2200 with roll bar 2330 with StarLight	2140 with roll bar 2310 with StarLight
-------------	---	---	---

DIMENSIONS With tyres 9.5 R20



TRANSMISSION
16+16
SYNCH. INVERTER

KM/H
40

KG **2400**



THE
ERGIT100
SERIES

TRH



CHASSIS ACTIO™ – Full chassis with oscillation • Reversibility RGS™
• Steering wheels • 4 unequal wheel drive


ENGINE YANMAR - 4 Cylinders
16 Valves - TURBO - 3319 CC
64 kW / 87 HP

PTO Independent and synchronised at 540/540E rpm

BRAKES Hydraulic front and rear disk brakes in oil bath, rear steering brakes

WEIGHT (Kg)
2170 with roll bar
2235 with EasyStar
2325 with StarLight

DIMENSIONS With tyres
2.50/80-18



MODEL SRH 9800 Infinity

THE
ERGIT100
SERIES

SRH



CHASSIS ACTIO™ – Full chassis with oscillation • Reversibility RGS™
• Articulated • 4 unequal wheel drive




ENGINE YANMAR - 4 Cylinders
16 Valves - TURBO - 3319 CC
64 kW / 87 HP

PTO Independent and synchronised at 540/540E rpm

BRAKES Hydraulic front and rear disk brakes in oil bath

WEIGHT (Kg) 2170 with roll bar
2325 with StarLight

DIMENSIONS With tyres 9.5 R20



MODEL MACH 2

MACH 2



CHASSIS ACTIO™ – Full chassis with oscillation • Reversibility RGS™
• 2 rear tracks and 2 front steering wheels



ENGINE YANMAR - 4 Cylinders
16 Valves - TURBO - 3319 CC
64 kW / 87 HP

PTO Independent and synchronised at 540/540E rpm

BRAKES Hydraulic front and rear disk brakes in oil bath, rear steering brakes

WEIGHT (Kg) 2950 with roll bar
3100 with StarLight

DIMENSIONS



MACH 4



MODEL MACH 4

CHASSIS ACTIO™ – Full chassis with oscillation • Reversibility RGS™
• Articulated • 4WD quadtrack



ENGINE YANMAR - 4 Cylinders
16 Valves - TURBO - 3319 CC
64 kW / 87 HP

PTO Independent and synchronised at 540/540E rpm

BRAKES Hydraulic front and rear disk brakes in oil bath

WEIGHT (Kg) 3050 with roll bar
3200 with StarLight

DIMENSIONS





Antonio Carraro® Original Spare Parts and Assistance

Customer satisfaction and safety is what counts most for Antonio Carraro. Each authorised workshop employs highly qualified staff and provides an extensive range of services in order to offer its Customers maximum peace of mind and total protection.

With Original AC Spare Parts, Customers can be certain of maintaining tractor performance unaltered over time, thus preserving the safety and the value of the tractor.



Follow us on 



antoniocarraro.com

Go to the website to consult and download the technical sheets for each model.



Antonio Carraro – Tractor people
Share the news between the “factory” and the AC tractor enthusiasts.



eshop.antoniocarraro.it

Buy articles for work and free time designed for customers and fans of the 4 rotating horse logo.



Antonio Carraro Channel

Upload or watch videos about AC tractors.

DEALER:

